



BUILDING CODE COMPLIANCE OFFICE (BCCO)
PRODUCT CONTROL DIVISION

MIAMI-DADE COUNTY, FLORIDA
METRO-DADE FLAGLER BUILDING
140 WEST FLAGLER STREET, SUITE 1603
MIAMI, FLORIDA 33130-1563
(305) 375-2901 FAX (305) 375-2908

NOTICE OF ACCEPTANCE (NOA)

Lawson Industries, Inc.
8501 NW 90th Street
Medley, FL 33166

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed by Miami-Dade County Product Control Division and accepted by the Board of Rules and Appeals (BORA) to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Division (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. BORA reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Division that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Series "PW 6200" Aluminum Fixed Window

APPROVAL DOCUMENT: Drawing No. W02-55, titled "PW-6200 Aluminum Fixed Window", sheets 1 through 5, prepared by Al Farooq Corporation, dated 6/6/02, signed and sealed by Humayoun Farooq, P.E., bearing the Miami-Dade County Product Control Approval stamp with the Notice of Acceptance number and approval date by the Miami-Dade County Product Control Division.

MISSILE IMPACT RATING: Large and Small Missile Impact

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.


INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This NOA consists of this page 1 as well as approval document mentioned above.

The submitted documentation was reviewed by **Theodore Berman, P.E.**







NOA No 02-0701.01
Expiration Date: August 22, 2007
Approval Date: August 22, 2002
Page 1









TYPICAL ELEVATION
TESTED UNIT

NOTES:

1. THIS PRODUCT IS DESIGNED TO COMPLY WITH THE HIGH VELOCITY HURRICANE ZONE OF THE 2001 FLORIDA BUILDING CODE. ALSO FOR WIND LOADS AS PER ASCE 7 USING CORRESPONDING LOADS.
2. WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
3. ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.



Approved as complying with the
Florida Building Code
Date 08/22/02
NOA# 02-0701.01
Miami Dade Product Control
Division
By [Signature]



GLAZING OPTIONS

LARGE MISSILE IMPACT RESISTANT GLASS, SHUTTERS ARE NOT REQUIRED
SEE SHEETS 2 & 3 FOR CAPACITIES

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557

JUN 24 2002

AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978
COMP-ANL\W02-55LU

LAWSON INDUSTRIES
8501 N.W. 90TH STREET
MEDLEY, FL. 33160
TEL (305) 696-8660 FAX (305) 696-8006

revisions:	
no	description

date: 06-06-02


scale: 1/2" = 1"

dr. by: HAMID

chk. by:

drawing no.
W02-55





sheet 1 of 5



TYPICAL ELEVATION
TESTED UNIT

NOTES:

1. THIS PRODUCT IS DESIGNED TO COMPLY WITH THE HIGH VELOCITY HURRICANE ZONE OF THE 2001 FLORIDA BUILDING CODE. ALSO FOR WIND LOADS AS PER ASCE 7 USING CORRESPONDING LOADS.
2. WOOD BUCKS BY OTHERS, MUST BE ANCHORED PROPERLY TO TRANSFER LOADS TO THE STRUCTURE.
3. ANCHORS SHALL BE AS LISTED, SPACED AS SHOWN ON DETAILS. ANCHOR EMBEDMENT TO BASE MATERIAL SHALL BE BEYOND WALL DRESSING OR STUCCO.









Approved as complying with the
Florida Building Code

Date 08/22/02

NOA# 02-0701.01

Miami Dade Product Control

Division
By *Chadwick Berman*



GLAZING OPTIONS

LARGE MISSILE IMPACT RESISTANT GLASS, SHUTTERS ARE NOT REQUIRED
SEE SHEETS 2 & 3 FOR CAPACITIES

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557

JAN 24 2002

AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX (305) 262-6978
COMP-ANL W02-55L1


LAWSON INDUSTRIES
PW-6200 ALUMINUM FIXED WINDOW (IMPACT)
8501 N.W. 90TH STREET
MEDLEY, FL. 33160
TEL (305) 696-8660 FAX (305) 696-6006

revisions:	no	date	by	description

date: 06-06-02
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no.
W02-55
sheet 1 of 5

DESIGN LOAD CAPACITY - PSF															
WINDOW DIMS.		3/16" ANCHORS								1/4" ANCHORS					
		GLASS TYPE 'A'		GLASS TYPE 'B'		GLASS TYPE 'C'		GLASS TYPE 'D'		GLASS TYPE 'E1'&'E2'		GLASS TYPE 'D'		GLASS TYPE 'E1'&'E2'	
WIDTH	LENGTH	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)
19-1/8"	26"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
26-1/2"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
37"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
53-1/8"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
19-1/8"	38-3/8"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
26-1/2"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
37"		61.9	61.9	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		58.7	58.7	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
53-1/8"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
19-1/8"	50-5/8"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
26-1/2"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
37"		48.1	48.1	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	56.6	56.6	68.0	65.9	65.0	65.0	78.0	65.9	65.0	65.0	78.0	78.0
53-1/8"		X	X	X	X	64.4	64.4	65.0	65.0	78.0	74.4	65.0	65.0	78.0	78.0
19-1/8"	58"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
26-1/2"		61.3	61.3	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
37"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	71.9	65.0	65.0	78.0	78.0
53-1/8"		X	X	X	X	X	X	65.0	65.0	78.0	65.0	65.0	65.0	78.0	78.0
19-1/8"	63"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
26-1/2"		60.3	60.3	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
37"		X	X	67.7	67.7	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	66.2	65.0	65.0	78.0	78.0
53-1/8"		X	X	X	X	X	X	65.0	59.8	78.0	59.8	65.0	65.0	78.0	78.0
19-1/8"	74"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
26-1/2"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
37"		X	X	X	X	62.8	62.8	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	67.6	65.0	65.0	78.0	78.0
53-1/8"		X	X	X	X	X	X	65.0	61.1	78.0	61.1	65.0	65.0	78.0	78.0
19-1/8"	74-1/4"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
26-1/2"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
37"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	67.4	65.0	65.0	78.0	78.0
53-1/8"		X	X	X	X	X	X	65.0	60.9	78.0	60.9	65.0	65.0	78.0	78.0



NOTE:
WIDTH AND LENGTH DIMENSIONS CAN BE ORIENTED
VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.

Approved as complying with the
Florida Building Code
Date 08/22/02
NOA# 02-0701-01
Miami Dade Product Control
Division
By [Signature]

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557

JUN 24 2002

AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6878
COMP-ANL\W02-55LI


PW-6200 ALUMINUM FIXED WINDOW (IMPACT)
LAWSON INDUSTRIES
8501 N.W. 90TH STREET
MEDLEY, FL. 33160
TEL. (305) 696-8660 FAX (305) 696-6006

revisions:	no	date	by	description

date: 06-06-02
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no.
W02-55
sheet 2 of 5

DESIGN LOAD CAPACITY - PSF															
WINDOW DIMS.		3/16" ANCHORS								1/4" ANCHORS					
		GLASS TYPE 'A'		GLASS TYPE 'B'		GLASS TYPE 'C'		GLASS TYPE 'D'		GLASS TYPE 'E1' & 'E2'		GLASS TYPE 'D'		GLASS TYPE 'E1' & 'E2'	
WIDTH	LENGTH	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)	EXT. (+)	INT. (-)
24"	36"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
42"		57.9	57.9	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		51.4	51.4	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
54"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
60"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
24"	48"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		61.8	61.8	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		51.4	51.4	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
42"		X	X	64.7	64.7	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	56.6	56.6	68.0	68.0	65.0	65.0	78.0	69.5	65.0	65.0	78.0	78.0
54"		X	X	56.6	56.6	68.0	68.0	65.0	65.0	78.0	77.2	65.0	65.0	78.0	78.0
60"		X	X	X	X	X	X	65.0	65.0	78.0	69.5	65.0	65.0	78.0	78.0
24"	60"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		49.9	49.9	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
42"		X	X	64.7	64.7	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	69.5	65.0	65.0	78.0	78.0
54"		X	X	X	X	X	X	65.0	61.8	78.0	61.8	65.0	65.0	78.0	78.0
60"		X	X	X	X	X	X	65.0	55.6	78.0	55.6	65.0	65.0	78.0	78.0
24"	72"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		X	X	65.5	65.5	66.9	66.9	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
42"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	69.5	65.0	65.0	78.0	78.0
54"		X	X	X	X	X	X	65.0	61.8	78.0	61.8	65.0	65.0	78.0	78.0
60"		X	X	X	X	X	X	65.0	55.6	78.0	55.6	65.0	65.0	78.0	78.0
24"	74"	65.0	65.0	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		X	X	64.9	64.9	65.1	65.1	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
42"		X	X	X	X	X	X	65.0	65.0	78.0	77.3	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	67.6	65.0	65.0	78.0	78.0
54"		X	X	X	X	X	X	65.0	60.1	78.0	60.1	65.0	65.0	78.0	78.0
60"		X	X	X	X	X	X	65.0	54.1	78.0	54.1	65.0	65.0	78.0	78.0
24"	84"	X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
42"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
48"		X	X	X	X	X	X	65.0	65.0	78.0	69.5	65.0	65.0	78.0	78.0
24"	96"	X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
42"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
24"	108"	X	X	68.0	68.0	75.0	75.0	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
24"	120"	X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
30"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0
36"		X	X	X	X	X	X	65.0	65.0	78.0	78.0	65.0	65.0	78.0	78.0




NOTE:
WIDTH AND LENGTH DIMENSIONS CAN BE ORIENTED
VERTICALLY OR HORIZONTALLY AS SHOWN ABOVE.




Approved as complying with the
Florida Building Code
Date 06/22/02
NOA# 02-0701.01
Miami Dade Product Control
Division
By Alfredo Berman

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557
JUN 24 2002

AL-FAROOQ CORPORATION ENGINEERS, PLANNERS & PRODUCT DESIGN 1235 SW 87 AVE MIAMI, FLORIDA 33174 TEL. (305) 264-8100 FAX. (305) 262-6978		COMP - ANL W02-55LI	
PW-6200 ALUMINUM FIXED WINDOW (IMPACT)		LAWSON INDUSTRIES 8501 N.W. 90TH STREET MEDLEY, FL. 33160 TEL. (305) 696-8660 FAX (305) 696-6006	
revisions: no. date by description	date: 06-06-02 scale: 1/2" = 1" dr. by: HAMID chk. by:		
drawing no. W02-55			
sheet 3 of 5			



METAL STRUCTURES
(STEEL OR ALUM. 1/8" MIN. THICK)
STEEL : $F_y = 36$ KSI MIN.
ALUMINUM : 6063-T5 MIN.



WOOD BUCKS NOT BY LAWSON, MUST SUSTAIN LOADS
IMPOSED BY GLAZING SYSTEM AND TRANSFER THEM
TO THE BUILDING STRUCTURE.

TYPICAL ANCHORS: SEE ELEV. FOR SPACING

3/16" TAPCONS

INTO 2BY WOOD BUCKS OR WOOD STRUCTURE
1-3/8" MIN. PENETRATION INTO WOOD

THRU 1BY WOOD BUCKS INTO MASONRY OR DIRECTLY INTO MASONRY
1-1/4" MIN. EMBED INTO MASONRY OR CONC.

3/16" DRILLFLEX OR EQUIV. SELF DRILLING SCREWS

INTO METAL STRUCTURES (1/8" MIN. THICKNESS)

1/4" TAPCONS

INTO 2BY WOOD BUCKS OR WOOD STRUCTURE
1-1/2" MIN. PENETRATION INTO WOOD

THRU 1BY WOOD BUCKS INTO MASONRY OR DIRECTLY INTO MASONRY
1-1/4" MIN. EMBED INTO MASONRY OR CONC.

1/4" DRILLFLEX OR EQUIV. SELF DRILLING SCREWS

INTO METAL STRUCTURES (1/8" MIN. THICKNESS)

#10 X 3/4" SMS

INTO APPROVED MULLIONS (NO SHIM SPACE)

SEALANTS:

FRAME AND VENT CORNERS AND INSTALLATION SCREWS AT SILL
SEALED WITH WHITE/ALUMINUM COLORED SEALANT.

Approved as complying with the
Florida Building Code
Date 08/22/02
NOA# 02-0701.01
Miami Dade Product Control
Division
By Edward E. Egan

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557

JUN 24 2002

afc

AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 264-8100 FAX. (305) 262-6978

LAWSON INDUSTRIES
8501 N.W. 90TH STREET
MEDLEY, FL. 33160
TEL. (305) 696-8660 FAX (305) 696-6006

revisions:	
no	date by description



date: 06-06-02
scale: 1/2" = 1"
dr. by: HAMID
chk. by:

drawing no.
W02-55


sheet 4 of 5

COMP-ANI\W02-55LI

ITEM	PART #	QUANTITY	DESCRIPTION	MATERIAL	MANF./SUPPLIER/REMARKS
1	L-4201	2	FRAME HEAD/SILL	6063-T5	-
2	L-4201	2	FRAME JAMB	6063-T5	-
3	L-7708	4	GLAZING BEAD (3/8" GLASS)	6063-T5	-
4	L-7708 TRIMMED	4	GLAZING BEAD (7/16" GLASS)	6063-T5	-
5	#8 X 3/4"	2/ CORNER	ASSEMBLY SCREWS	-	P.H. PHILLIPS
6	-	-	-	-	-
7	VWS-004	AS REQD.	GLAZING GASKET	SOFT PVC	-



TYPICAL CORNER CONSTRUCTION



Approved as complying with the
Florida Building Code
Date 08/22/02
NOAH 02-0701-01
Miami Dade Product Control
Division
By: *Cherodan Kerman*

Engr: DR. HUMAYOUN FAROOQ
STRUCTURES
FLA. PE # 16557

JUN 24 2002

AL-FAROOQ CORPORATION
ENGINEERS, PLANNERS & PRODUCT DESIGN
1235 SW 87 AVE
MIAMI, FLORIDA 33174
TEL (305) 264-8100 FAX (305) 262-6978
COMP-ANL\W02-55LI

PW-6200 ALUMINUM FIXED WINDOW (IMPACT)

LAWSON INDUSTRIES
8501 N.W. 90TH STREET
MEDLEY, FL. 33160
TEL (305) 696-8660 FAX (305) 696-6006

revisions:	no	date	by	description

date: 06-06-02

scale: 1/2" = 1"

dr. by: HAMID

chk. by:

drawing no.
W02-55

sheet 5 of. 5